



Phone Planet

High Quality Mobile Phone Accessories

2024

New Products

[www.phoneplanet.com](http://www.phoneplanet.com)



# ABOUT US

## Company Profile

We are Guangzhou Dangu Technology Co., LTD., focusing on the sales of high quality mobile Phone accessories, its "Phone Planet" brand positioning high-end mobile phone accessories, We are committed to providing customers with cost-effective products, including data cables, chargers, power banks, cases, screen protectors, and holders. All these products have stylish design and stable and reliable quality.

We mainly produce data cables and chargers, data cables include USB2.0-USB4, with different materials such as PVC, TPE, PP yarn weaving, etc. We will extend the life of data cables to 2-3 years by adding nylon wire to the inner core of data cables, using tinned copper and exclusive internal molding technology. Our full line of data cable products are widely used in mobile phone charging, gaming (connected to VR glass), video and audio transmission;

This charger adopts GaN technology with main control chip of Navitas(USA). It can achieve fast charging without heating or noise. It is widely used in charging mobile phones, laptops, earphones, game stations and other small appliances etc.

Our own factory has collaborated with brands such as "Ugreen" and "Baseus". With 20 years of industry experience and technical knowledge, our team is capable of providing professional consultancy sales solutions and a warranty of over 1 year.

Currently, we are recruiting brand agents and dealers. By choosing us, you will gain an exclusive market opportunity for a new brand, absolute bargaining power, a complete set of promotional materials, and local social media marketing resources to achieve rapid growth in performance. Please feel free to contact us to receive free samples.

## Why Choose Us

### Multiple Advantages

# VIP Services

-  Advertising & publicity fee
-  Annual report/PPT
-  Regular meeting
-  Local customer recommendation
-  Local sales solutions/ Market research & analysis



### Experiences

**20** Years  
Professional team service



### Decoration Support

Subsidies for decoration costs

### New Opportunity

**1** Exclusive Market  
Opportunity for a new brand



### Affordable Prices

**2** Brands' absolute  
bargaining power



### 365 Days Warranty

Local return and  
exchange service



### Advocacy Resources

**All** product's promotional  
materials and resources



























# New Brand Looking for Global Agency



# Let Phone Planet Go Out To Spread All Of the World



- |   |  |   |   |  |   |
|---|--|---|---|--|---|
|  <b>Guangzhou Headquarters</b><br>广州总部 |  <b>DongGuan Factory</b><br>东莞工厂            |  <b>Saudi Branch(Warehouse)</b><br>沙特分公司(仓库) |  <b>British Stores</b><br>英国店        |  <b>French Store</b><br>法国店   |  <b>U.S. Store</b><br>美国店      |
|  <b>Egypt Store</b><br>埃及店             |  <b>UAE Branch(Warehouse)</b><br>阿联酋分公司(仓库) |  <b>Bulgaria Store</b><br>保加利亚店              |  <b>Southeast Asia Store</b><br>东南亚店 |  <b>Kuwait Store</b><br>科威特店  |  <b>Somalia Store</b><br>索马里店  |
|  <b>Iraq Store</b><br>伊拉克店             |  <b>German Store</b><br>德国店                 |  <b>Belgium Store</b><br>比利时店                |  <b>Spanish Store</b><br>西班牙店        |  <b>Turkish Store</b><br>土耳其店 |  <b>Oman Store</b><br>阿曼店      |
|  <b>Korean Store</b><br>韩国店            |  <b>Pakistan Store</b><br>巴基斯坦店             |  <b>Iran Store</b><br>伊朗店                    |  <b>Morocco Store</b><br>摩洛哥店        |  <b>Russian Store</b><br>俄罗斯店 |  <b>Indonesia Store</b><br>印尼店 |

# Our Certificate





# Data Cable Series





## PJ-001 USB 2.0

### Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PJ-AL-001	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none"> <li>Aluminum Alloy Housing</li> <li>PP Braided cable</li> </ul>
PJ-AM-001	USB-A to Micro 5V/2A	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PJ-AC-001	USB-A to Type-C 5V/3A	
PJ-CC-001	Type-C to Type-C 20V/3A (60W)	<p style="text-align: center;">Certification</p> <div style="display: flex; justify-content: space-around;"> <span>CE</span> <span>FC</span> <span>RoHS</span> </div>
PJ-CL-001	Type-C to Lightning 15V/2A (30W)	<div style="display: flex; justify-content: space-around;"> <span>REACH</span> <span>UK CA</span> <span>CB</span> </div>



## PJ-002 USB 2.0

### Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PJ-AL-002	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none"> <li>Aluminum Alloy Housing</li> <li>PP Braided cable</li> </ul>
PJ-AM-002	USB-A to Micro 5V/2A	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PJ-AC-002	USB-A to Type-C 5V/3A	
PJ-CC-002	Type-C to Type-C 20V/3A (60W)	<p style="text-align: center;">Certification</p> <div style="display: flex; justify-content: space-around;"> <span>CE</span> <span>FC</span> <span>RoHS</span> </div>
PJ-CL-002	Type-C to Lightning 15V/2A (30W)	<div style="display: flex; justify-content: space-around;"> <span>REACH</span> <span>UK CA</span> <span>CB</span> </div>



## PP-003 USB 2.0

### Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 2m

Colour

Product Name	Electric Parameters	Product Features
PP-CC-003	Type-C to Type-c 48V/5A 240W	<ul style="list-style-type: none"> <li>Aluminum Alloy Housing</li> <li>PP Braided cable</li> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p style="text-align: center;">Certification</p> <div style="display: flex; justify-content: space-around;"> <span>CE</span> <span>FC</span> <span>RoHS</span> </div>
		<div style="display: flex; justify-content: space-around;"> <span>REACH</span> <span>UK CA</span> <span>CB</span> </div>



## PP-004 USB 2.0

### PVC Moulding

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PP-AL-004	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none"> <li>PVC Moulding</li> <li>Flame Retardant Materials</li> </ul>
PP-AM-004	USB-A to Micro 5V/2A	<ul style="list-style-type: none"> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PP-AC-004	USB-A to Type-C 5V/3A	
PP-CC-004	Type-C to Type-C 20V/3A (60W)	<p style="text-align: center;">Certification</p> <div style="display: flex; justify-content: space-around;"> <span>CE</span> <span>FC</span> <span>RoHS</span> </div>
PP-CL-004	Type-C to Lightning 15V/2A (30W)	<div style="display: flex; justify-content: space-around;"> <span>REACH</span> <span>UK CA</span> <span>CB</span> </div>



## PJ-005 USB 2.0

### TPE Moulding

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PJ-AL-005	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none"> <li>PVC Moulding</li> <li>PP Braided cable</li> </ul>
PJ-AM-005	USB-A to Micro 5V/2A	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PJ-AC-005	USB-A to Type-C 5V/3A	
PJ-CC-005	Type-C to Type-C 20V/3A (60W)	<p><b>Certification</b></p> <p>CE FC RoHS</p>
PJ-CL-005	Type-C to Lightning 15V/2A (30W)	<p>REACH UK CB</p>



## PP-006 USB 2.0

### Zinc Alloy Shell

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PP-CC-006-100W	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none"> <li>Zinc Alloy Shell</li> <li>PP Braided cable</li> </ul>
PP-CC-006-60W	Type-C to Type-C 20V/3A (60W)	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PP-AC-006	USB-A to Type-C 5V/3A 18W	
PP-AL-006	USB-A to Lightning 5V/2.4A 12W	<p><b>Certification</b></p> <p>CE FC RoHS</p>
PP-CL-006	Type-C to Lightning 15V/2A (30W)	<p>REACH UK CB</p>



## PP-007 USB 3.2

### 20Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour

Product Name	Electric Parameters	Product Features
PP-CC-007	Type-C to Type-C 20V/5A 100W	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>PP Braided Cable</li> <li>Support 4K@60HZ Display</li> <li>20Gbps High Speed Transmission</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p><b>Certification</b></p> <p>CE FC RoHS</p>
		<p>REACH UK CB</p>



## PJ-008 USB 2.0

### Fully Compatible

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PJ-AC-008	USB-A to Type-C 11V/6A (66W)	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>Flame Retardant Materials</li> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p><b>Certification</b></p> <p>CE FC RoHS</p>
		<p>REACH UK CB</p>





# PP-009 USB 2.0

## Amazon Best Seller

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PJ-AL-005	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>PP Braided cable</li> </ul>
PJ-CL-005	Type-C to Lightning 15V/2A (30W)	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PJ-AC-005	USB-A to Type-C 5V/3A	
PJ-CC-005	Type-C to Type-C 20V/3A (60W)	

**Certification**

CE
FC
RoHS
  
REACH
UK CR
CB



# PP-010-011 USB 2.0

## Fully Compatible

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PP-CC-010-100W	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>PP Braided cable</li> </ul>
PP-CC-010-60W	Type-C to Type-C 20V/3A (60W)	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
PP-AC-010	USB-A to Type-C 5V/3A 18W	
PP-CL-010	Type-C to Lightning 15V/2A (30W)	
PP-AL-010	USB-A to Lightning 5V/2.4A (12W)	

**Certification**

CE
FC
RoHS
  
REACH
UK CR
CB



# PP-012 USB 2.0

## Zinc Alloy Shell

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PP-CC-012-100W	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none"> <li>Zinc Alloy Shell</li> <li>PP Braided cable</li> </ul>
PP-CC-012-60W	Type-C to Type-C 20V/3A (60W)	<ul style="list-style-type: none"> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>

**Certification**

CE
FC
RoHS
  
REACH
UK CR
CB



# PP-013 USB 3.0

## Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour

Product Name	Electric Parameters	Product Features
PP-CC-013	Type-C to Type-C 20V/3A 60W	<ul style="list-style-type: none"> <li>USB 3.0</li> <li>Flame Retardant Materials</li> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>

**Certification**

CE
FC
RoHS
  
REACH
UK CR
CB



# PP-014 USB 3.2

## 20Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 30cm

Colour ●

Product Name	Electric Parameters	Product Features
PP-ACC-014	Type-C to Type-C/USB-A 20V/3A (60W)	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>PP Braided Cable</li> <li>Support 4K@60HZ Display</li> <li>20Gbps High Speed Transmission</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
<p><b>Certification</b></p> <p>CE FC RoHS</p> <p>REACH UK CB</p>		



# PP-015 USB4

## 40Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 1m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CC-015	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none"> <li>TPE One-Piece Moulding</li> <li>8-segment Coaxial Cable Structure</li> <li>Support 8K2*4K@60HZ Display</li> <li>40Gbps Transfer Speed</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
<p><b>Certification</b></p> <p>CE FC RoHS</p> <p>REACH UK CB</p>		



# PJ-016 USB4

## 40Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour ●

Product Name	Electric Parameters	Product Features
PJ-CC-016	Type-C to Type-C 48V/5A 240W	<ul style="list-style-type: none"> <li>TPE One-Piece Moulding</li> <li>8-segment Coaxial Cable Structure</li> <li>Support 8K2*4K@60HZ Display</li> <li>40Gbps Transfer Speed</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
<p><b>Certification</b></p> <p>CE FC RoHS</p> <p>REACH UK CB</p>		



# PP-017 USB 3.1

## VR Streaming Cable

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-VR-017	USB-A to Type-C 9V/2A (18W)	<ul style="list-style-type: none"> <li>TPE One-Piece Moulding</li> <li>PD18W Power Supply</li> <li>Support 4K@60HZ Display</li> <li>5Gbps Transfer Speed</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
<p><b>Certification</b></p> <p>CE FC RoHS</p> <p>REACH UK CB</p>		



## PP-CCL-016 USB 2.0

### 2 IN 1 PD 100W

Fast Charging/Data Transfer Cable

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
PP-CCL-016	Type-C to Type-C/Lightning 20V/5A (100W)	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>Flame Retardant Materials</li> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p>Certification</p> <p> <span>CE</span> <span>FC</span> <span>RoHS</span>  <span>REACH</span> <span>UK CR</span> <span>CB</span> </p>



## PP-CCC-016 USB 2.0


### 2 IN 1 PD 100W

Fast Charging/Data Transfer Cable

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
PP-CCC-016	Type-C to Type-C/Type-C 20V/5A (100W)	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>Flame Retardant Materials</li> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p>Certification</p> <p> <span>CE</span> <span>FC</span> <span>RoHS</span>  <span>REACH</span> <span>UK CR</span> <span>CB</span> </p>



## PJ-CCC-018 USB 2.0

### 2 IN 1 PD 100W

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour

Product Name	Electric Parameters	Product Features
PJ-CCC	Type-C to Type-C 48V/5A 240W	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>Flame Retardant Materials</li> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p>Certification</p> <p> <span>CE</span> <span>FC</span> <span>RoHS</span>  <span>REACH</span> <span>UK CR</span> <span>CB</span> </p>



## PJ-MF-001 USB 2.0

### 3 IN 1 Cable

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour

Product Name	Electric Parameters	Product Features
PJ-MF-001	USB-A to Lightning/ Type-C/MicroUSB 5V/3A	<ul style="list-style-type: none"> <li>Aluminum Alloy Shell</li> <li>Flame Retardant Materials</li> <li>Thickened Tinned Copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p>Certification</p> <p> <span>CE</span> <span>FC</span> <span>RoHS</span>  <span>REACH</span> <span>UK CR</span> <span>CB</span> </p>



# PP-AUXC


## Type-C to 3.5mm

Audio Cable

Length 1.2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-AUXC-120	Type-C to DC 3.5MM	<ul style="list-style-type: none"> <li>Embedded DAC Decoder Chip</li> <li>Excellent Sound Resolution</li> <li>Low Distortion Rate</li> <li>In-Car Music Navigation</li> <li>Aluminum Alloy Shell</li> <li>PP Braided Cable</li> </ul>
		<p>Certification</p> <p>CE FC RoHS</p> <p>REACH UK CB</p>



# PP-AUXL

## Lightning to 3.5mm

Audio Cable

Length 1.2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-AUXL-120	Type-C to DC 3.5mm	<ul style="list-style-type: none"> <li>Embedded DAC Decoder Chip</li> <li>Excellent Sound Resolution</li> <li>Low Distortion Rate</li> <li>In-Car Music Navigation</li> <li>Aluminum Alloy Shell</li> <li>PP Braided Cable</li> </ul>
		<p>Certification</p> <p>CE FC RoHS</p> <p>REACH UK CB</p>



# PP-EC-CAUX

## Type-C to Aux Audio

Audio Cable

Length 12cm

Colour ●

Product Name	Electric Parameters	Product Features
PP-EC-CAUX-12-GY	Type-C to 3.5F Cable	<ul style="list-style-type: none"> <li>TPE One-Piece Moulding</li> <li>8-segment Coaxial Cable Structure</li> <li>Support 8K/2'4K@60HZ Display</li> <li>40Gbps Transfer Speed</li> <li>35,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p>Certification</p> <p>CE FC RoHS</p> <p>REACH UK CB</p>



# PP-EC-LAUX

## Lightning to Aux Audio

Audio Cable

Length 12cm

Colour ●

Product Name	Electric Parameters	Product Features
PP-EC-LAUX-12-GY	Lightning to 3.5F Cable	<ul style="list-style-type: none"> <li>Aluminum Alloy Housing</li> <li>PP Braided cable</li> <li>Thickened Tinned copper</li> <li>In-Shell Injection Molding</li> <li>30,000 Times Bending</li> <li>48 Hours Salt Resistance Test</li> </ul>
		<p>Certification</p> <p>CE FC RoHS</p> <p>REACH UK CB</p>



# PP-EC-LLL Lightning







## Audio Dual Function

Lightning Audio + Charge RockStar

Length 15cm

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-EC-LLL-15-GY	<p>Allows you to listen to music, watch videos, use audio navigation or take calls while still charging your phone at maximum speed.</p>
<b>Material:</b>	Aluminum + TPE	
<b>Function:</b>	Supports Charging + Audio Calls	
<b>Power:</b>	5V/2A	<p><b>Certification</b></p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">               CE         </div> <div style="text-align: center;">               FC         </div> <div style="text-align: center;">               RoHS         </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="text-align: center;">               REACH         </div> <div style="text-align: center;">               UKCA         </div> <div style="text-align: center;">               CB         </div> </div>



## PP-EC-CCC Type-C

### Audio Dual Function

Type-C Audio + Charge

Length 15cm

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-EC-CCC-15-GY	Allows you to listen to music, watch videos, use audio navigation or take calls while still charging your phone at maximum speed.
Material:	Aluminum + TPE	
Function:	Supports Charging + Audio Calls	
Power:	20V/3A, PD 60W	<p><b>Certification</b></p> <p> <span>CE</span> <span>FC</span> <span>RoHS</span>  <span>REACH</span> <span>UK CA</span> <span>CB</span> </p>



## PP-EC-LLAUX Lightning

### Audio Dual Function

3.5mm Audio + Charge RockStar

Length 15cm

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLAUX-15-GY	Allows you to listen to music, watch videos, use audio navigation or take calls while still charging your phone at maximum speed.
Material:	Aluminum + TPE	
Function:	Supports Charging + Audio Calls	
Power:	5V/2A	<p><b>Certification</b></p> <p> <span>CE</span> <span>FC</span> <span>RoHS</span>  <span>REACH</span> <span>UK CA</span> <span>CB</span> </p>



# PP-CHDMI01 4K


## USB-C to HDMI

High Definition Transmission Cable

Length 1.8m

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-CHDMI01	<ul style="list-style-type: none"><li>● 4K*2K@60Hz UHD Resolution</li><li>● Video &amp; Audio Simultaneously</li><li>● Plug &amp; Play Driver-Free</li><li>● Durable &amp; Flexible</li><li>● Wide Compatibility Smartphones</li></ul>
<b>Material:</b>	Aluminum + PVC	
<b>Function:</b>	USB-C to HDMI HD Video Cable	
<b>Resolution:</b>	4K*2K@60Hz	<b>Certification</b> 
<b>Colour:</b>	Dark Grey	



# PP-LHDMI02 1080P







## Lightning to HDMI

High Definition Transmission Cable

Length 1.8m

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LHDMI02	<ul style="list-style-type: none"><li>• 1920x1080@60Hz/1280x720@60Hz</li><li>• Video &amp; Audio Simultaneously</li><li>• Plug &amp; Play Driver-Free</li><li>• Durable &amp; Flexible</li><li>• Simultaneous charging of mobile phones</li></ul>
<b>Material:</b>	Aluminum + PVC	
<b>Function:</b>	Lightning to HDMI HD Video Cable	
<b>Resolution:</b>	1920x1080 60Hz 1280x720 60Hz	
<b>Colour:</b>	Dark Grey	
		<b>Certification</b>
		  
		  






# PP-DS01

7-IN-1

## USB-C HUB

4K & 60Hz

Length 20cm

Colour 

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-DS01	<ul style="list-style-type: none"> <li>● HDMI Supports 3840X2160@30HZ Ultra HD Resolution</li> <li>● It Can Be Connected To An External Display Via An HDMI Port</li> <li>● One USB3.0 And One USB2.0 Port</li> <li>● Data Transfer Speeds Up T 5Gbps (USB3.0)/480Mbps(USB2.0) Are Supported</li> <li>● Support USB 2.0 SD/TF Data Transfer</li> </ul>
<b>Material:</b>	Aluminum Shell	
<b>Function:</b>	Supports 4K & 60Hz	
<b>Power:</b>	PD 60W	
<b>USB3.0</b>	5Gbps	

### Certification



# KEEP ORIGINAL CONTROL

Converts wired to wireless seamlessly

Hey, Siri, Navigate to the party



CarPlay




Auto



Android

## CarPlay Series



OEM controlknob



Touch screen controls



Steering wheel control



# PP-CP01 CarPlay

## 2-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-CP01	<ul style="list-style-type: none"> <li>● Plug and Play</li> <li>● Online Upgrade</li> <li>● Original Car Touch Control</li> <li>● Run Smoothly</li> <li>● Automatic Connection</li> <li>● Low-power Chip</li> <li>● Voice Control is Quick to Operate</li> <li>● 5G WIFI Technology, Stable Connection Without Disconnection.</li> </ul> <p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div>
<b>Product Name:</b>	CarPlay Wireless Adapter	
<b>Configuration:</b>	Synchronize Mobile Phone	
<b>Network:</b>	Sync Cellular Network	
<b>Material:</b>	Aluminum Alloy+Tempered Glass	
<b>Power Supply:</b>	USB Cable	
<b>Input/Output:</b>	USB-A or Type-C	
<b>Device:</b>	ios/Android	
<b>Connection:</b>	Wired/Wireless	



# PP-CP02 CarPlay


## 3-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android Auto

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-CP02	<ul style="list-style-type: none"> <li>● Plug and Play</li> <li>● Online Upgrade</li> <li>● Original Car Touch Control</li> <li>● Run Smoothly</li> <li>● Automatic Connection</li> <li>● Low-power Chip</li> <li>● Voice Control is Quick to Operate</li> <li>● 5G WIFI Technology, Stable Connection Without Disconnection.</li> </ul> <p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">CE</div> <div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">FC</div> <div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">RoHS</div> </div>
<b>Product Name:</b>	Ai Box for Car and Machine Interconnection	
<b>Configuration:</b>	Synchronize Mobile Phone	
<b>Networkl:</b>	Sync Cellular Network	
<b>Material:</b>	Aluminum Alloy+Tempered Glass	
<b>Power Supply:</b>	USB Cable	
<b>Input/Output:</b>	USB-A or Type-C	
<b>Device:</b>	ios/Android/TF	
<b>Connection:</b>	Wired/Wireless	



# Wall Charger Series





# 12W

## USB-A \*2 Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-12W-UK	<ul style="list-style-type: none"> <li>● Small size</li> <li>● Intelligent fast charging</li> <li>● Environmentally friendly materials</li> <li>● High temperature resistant shell</li> <li>● Better heat dissipation</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 0.3A	
<b>Total Output:</b>	12W(Max)	
<b>USB-A1:</b>	5V/2.4A 12W	
<b>USB-A2:</b>	5V/2.4A 12W	
<b>Material:</b>	PC Flame Retardant	<b>Certification</b> <span>CE</span> <span>FC</span> <span>RoHS</span> <span>REACH</span> <span>UK CR</span> <span>CB</span>
<b>Color:</b>	Black	
<b>Plug:</b>	UK	



UK



US



EU

# 20W

## USB-C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-20W-PDUK/US/EU	<ul style="list-style-type: none"> <li>● Small size</li> <li>● Intelligent fast charging</li> <li>● Fully compatible</li> <li>● Better heat dissipation</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 0.5A	
<b>Total Output:</b>	PD 20W & QC3.0	
<b>USB-C:</b>	5V/3A,9V/2.25A,12V/1.5A	
<b>Material:</b>	PC Flame Retardant	
<b>Color:</b>	Black/White	<b>Certification</b> <span>CE</span> <span>FC</span> <span>RoHS</span> <span>REACH</span> <span>UK CR</span> <span>CB</span>
<b>Plug:</b>	UK/US/EU	



UK



US



EU

# 20W

## USB-C & USB-A Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-20W-PDQC/UK/US/EU	<ul style="list-style-type: none"> <li>● Small size</li> <li>● Intelligent fast charging</li> <li>● Dual port output</li> <li>● Fully compatible</li> <li>● Better heat dissipation</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 0.5A	
<b>Total Output:</b>	PD 20W & QC3.0	
<b>USB-C:</b>	5V/3A,9V/2.25A,12V/1.5A	
<b>USB-A:</b>	9V/2A,12V/1.5A	
<b>Material:</b>	PC Flame Retardant	<b>Certification</b> <span>CE</span> <span>FC</span> <span>RoHS</span> <span>REACH</span> <span>UK CR</span> <span>CB</span>
<b>Color:</b>	Black/White	
<b>Plug:</b>	UK/US/EU	



# 24W

## USB-A \*2 Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-12W-UK	<ul style="list-style-type: none"> <li>● Small size</li> <li>● Intelligent fast charging</li> <li>● Environmentally friendly materials</li> <li>● High temperature resistant shell</li> <li>● Better heat dissipation</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 0.3A	
<b>Total Output:</b>	12W(Max)	
<b>USB-A1:</b>	5V/2.4A 12W	
<b>USB-A2:</b>	5V/2.4A 12W	
<b>Material:</b>	PC Flame Retardant	<b>Certification</b> <span>CE</span> <span>FC</span> <span>RoHS</span> <span>REACH</span> <span>UK CR</span> <span>CB</span>
<b>Color:</b>	Black	
<b>Plug:</b>	UK	



UK



EU

# 30W

## USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-30W-PDQCUC/EU	<ul style="list-style-type: none"> <li>• Small size</li> <li>• Intelligent fast charging</li> <li>• Environmentally friendly materials</li> <li>• High temperature resistant shell</li> <li>• Better heat dissipation</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	PD 30W & QC3.0	
<b>USB-C:</b>	5V/3A, 9V/3A, 12V/2.5A	
<b>USB-A:</b>	6V/3A, 9V/2A, 12V/1.5A	
<b>PPS:</b>	3.3V-11V/3A	<p><b>Certification</b></p>
<b>Material:</b>	PC Flame Retardant	
<b>Plug:</b>	UK/EU	



# 38W

## USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-38WPDQCUC	<ul style="list-style-type: none"> <li>• Small size</li> <li>• Intelligent fast charging</li> <li>• Dual port fast charging</li> <li>• Fully compatible</li> <li>• Better heat dissipation</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 1.0A	
<b>Total Output:</b>	USB-C+USB-A=38W(Max)	
<b>USB-C:</b>	5V/3A, 9V/3A, 12V/2.5A	
<b>USB-A:</b>	9V/2A, 12V/1.5A	
<b>Material:</b>	PC Flame Retardant	<p><b>Certification</b></p>
<b>Color:</b>	Black	
<b>Plug:</b>	UK	



# 20W

Built-in Data Cable

## USB-A+2C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-20WACC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.5A	
Total Output:	20W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C:	9V/2.22A,5V/3A	
Material:	PC Flame Retardant	<b>Certification</b> 
Color:	Black	
Plug:	UK	



# 30W

Built-in Data Cable

## USB-A+2C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-30WACC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	30W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C:	9V/2.22A,5V/3A	
Material:	PC Flame Retardant	<b>Certification</b> 
Color:	Black	
Plug:	UK	



# 45W

Built-in Data Cable

## USB-A+2C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-45WACC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	45W(Max)	
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	
Material:	PC Flame Retardant	<b>Certification</b> 
Color:	Black	
Plug:	UK	



# 20W

Built-in Data Cable

## 2\*USB-C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-20WCC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	20W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
Plug:	UK	
Material:	PC Flame Retardant	<b>Certification</b> 





# 20W

Built-in Data Cable

## USB-L & USB-C Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-20WCL	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.5A	
<b>Total Output:</b>	20W(Max)	
<b>USB-C:</b>	5V/3A,9V/2.22A,12V/1.67A	
<b>USB-L:</b>	9V/2.22A,5V/3A	
<b>Material:</b>	PC Flame Retardant	
<b>Color:</b>	Black	<b>Certification</b> 
<b>Plug:</b>	UK	



# 30W

Built-in Data Cable

## USB-L+1C+1A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-30WCL	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	30W(Max)	
<b>USB-C:</b>	5V/3A,9V/2.22A,12V/1.67A	
<b>USB-L:</b>	9V/2.22A,5V/3A	
<b>USB-A:</b>	5V/3A,9V/2A,12V/1.5A	
<b>PPS:</b>	5V-11V/2.7A	<b>Certification</b> 
<b>Plug:</b>	UK	



# 45W

Built-in Data Cable

## USB-L+1C+1A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-45WACL	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	45W(Max)	
<b>USB-C:</b>	5V/3A,20.0V/2.25A 45W(Max)	
<b>USB-L:</b>	5V/3A,20.0V/2.25A 45W(Max)	
<b>USB-A:</b>	5V/3A,9V/2A,12V/1.5A 30W(Max)	
<b>PPS:</b>	5V-11V/2.4A	<b>Certification</b> 
<b>Plug:</b>	UK	



# 12W

## 2\*USB-A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-12WAA	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	12W(Max)	
<b>Plug:</b>	UK	
		<b>Certification</b> 


# 20W

Built-in Data Cable

## USB-A+1C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-20WAC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.5A	
<b>Total Output:</b>	20W(Max)	
<b>USB-A:</b>	5V/3A,9V/2A,12V/1.5A	
<b>USB-C:</b>	5V/3A,9V/2.22A,12V/1.67A	
<b>Material:</b>	PC Flame Retardant	<b>Certification</b> 
<b>Color:</b>	Black	
<b>Plug:</b>	UK	




# 30W

Built-in Data Cable

## USB-A+1C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-30WAC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	30W(Max)	
<b>USB-A:</b>	5V/3A,9V/2A,12V/1.5A	
<b>USB-C:</b>	5V/3A,9V/2A,12V/1.5A	
<b>Material:</b>	PC Flame Retardant	<b>Certification</b> 
<b>Color:</b>	Black	
<b>Plug:</b>	UK	




# 45W

Built-in Data Cable

## USB-A+1C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-45WAC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	45W(Max)	
<b>USB-A:</b>	5V/3A,9V/2A,12V/1.5A	
<b>USB-C:</b>	5V/3A,20.0V/2.25A 45W(Max)	
<b>Material:</b>	PC Flame Retardant	<b>Certification</b> 
<b>Color:</b>	Black	
<b>Plug:</b>	UK	




# 24W

## 2\*USB-A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-24WAA	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
<b>Input:</b>	100-240V~ 50-60Hz 0.8A	
<b>Total Output:</b>	24W(Max)	
<b>Plug:</b>	UK	
		<b>Certification</b> 





UK



US



EU

# 30W GaN USB-C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-30W GaN-UK/US/EU	<ul style="list-style-type: none"> <li>Navitas chip</li> <li>Lightweight design</li> <li>Fast charging</li> <li>GaN Technology</li> <li>Low temperature fast charging</li> <li>Compatible with PD/SCP/PPS Multi-protocol</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 1.0A	<p><b>Certification</b></p>
<b>Total Output:</b>	PD 30W	
<b>USB-C:</b>	5V/3A, 9V/2.25A, 12V/1.5A	
<b>PPS:</b>	3.3V-11V/3A	
<b>Material:</b>	PC Flame Retardant	
<b>Color:</b>	Black/White	
<b>Plug:</b>	UK/US/EU	



# 65W GaN 2C+1A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-60W2-GaN-UK	<ul style="list-style-type: none"> <li>GaN chip</li> <li>Lightweight design</li> <li>Fast charging</li> <li>GaN Technology</li> <li>Low temperature fast charging</li> <li>Compatible with PD/SCP/PPS Multi-protocol</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 1.5A	<p><b>Certification</b></p>
<b>Total Output:</b>	65W(Max)	
<b>USB-C:</b>	20V/3.25A, 9V/3A, 12V/3A	
<b>USB-A:</b>	9V/3A, 5V/3A, 12V/3A	
<b>PPS:</b>	3.3V-11V/5A	
<b>Color:</b>	Black	
<b>Plug:</b>	UK	



UK



US



EU

# 65W GaN 2C+1A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-60W GaN-UK/US/EU	<ul style="list-style-type: none"> <li>Navitas chip</li> <li>Lightweight design</li> <li>Fast charging</li> <li>GaN Technology</li> <li>Low temperature fast charging</li> <li>Compatible with PD/SCP/PPS Multi-protocol</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 1.5A	<p><b>Certification</b></p>
<b>Total Output:</b>	65W(Max)	
<b>USB-C:</b>	20V/3.25A, 9V/3A, 12V/3A	
<b>USB-A:</b>	4.5V/5A, 5V/4.5A	
<b>PPS:</b>	3.3V-11V/5A	
<b>Color:</b>	Black/White	
<b>Plug:</b>	UK/US/EU	



UK



EU

# 100W GaN 2C+1A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-100W GaN-UK/EU	<ul style="list-style-type: none"> <li>Navitas chip</li> <li>Lightweight design</li> <li>Fast charging</li> <li>GaN Technology</li> <li>Low temperature fast charging</li> <li>Compatible with PD/SCP/PPS Multi-protocol</li> </ul>
<b>Input:</b>	100-240V~ 50-60Hz 2.5A	<p><b>Certification</b></p>
<b>Total Output:</b>	100W(Max)	
<b>USB-C1:</b>	20V/5A, 9V/3A, 12V/3A	
<b>USB-C2:</b>	20V/3.25A, 9V/3A, 12V/3A	
<b>USB-A:</b>	4.5V/5A, 5V/4.5A, 9V/3A	
<b>Color:</b>	Black/White	
<b>Plug:</b>	UK/EU	



# Car Charger Series





# 12W 01

## USB-A\*2 Car Charger

Fast Charging

Colour ●

Product Name	Electric Parameters	Product Features
Model:	PP-CC01	<ul style="list-style-type: none"> <li>● Mini Size</li> <li>● Dual USB-A</li> <li>● Safe Charging</li> <li>● Current overvoltage protection</li> </ul>
Input:	DC 12-24V	
Total Output:	12W(Max)	
USB-A:	5V/2.4A	
Ports:	Dual USB Ports	
Material:	PC Flame Retardant	<b>Certification</b> 
Color:	Black	
Size:	24*24*38mm	

# 24W 02

## USB-A \*2 Car Charger

Fast Charging

Colour ●

Product Name	Electric Parameters	Product Features
Model:	PP-CC02	<ul style="list-style-type: none"> <li>● Mini Size</li> <li>● Dual USB-A</li> <li>● Safe Charging</li> <li>● Current overvoltage protection</li> </ul>
Input:	DC 12-24V	
Total Output:	24W(Max)	
USB-A:	5V/4.8A	
Ports:	Dual USB Ports	
Material:	PC Flame Retardant	<b>Certification</b> 
Color:	Black	
Size:	25*25*45mm	



# 38W 03

## 1C+1A Car Charger

Fast Charging

Colour ●

Product Name	Electric Parameters	Product Features
Model:	PP-CC03	<ul style="list-style-type: none"> <li>● Mini Size</li> <li>● Dual USB-A</li> <li>● Safe Charging</li> <li>● Current overvoltage protection</li> </ul>
Input:	DC 12-24V	
Total Output:	38W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	3.6-6.5V/3A,9V/2A	
Material:	PC Flame Retardant	<b>Certification</b> 
Color:	Black	
Size:	35*26*61mm	



# 60W 04

## 2C+1A Car Charger

Fast Charging

Colour ●

Product Name	Electric Parameters	Product Features
Model:	PP-CC04	<ul style="list-style-type: none"> <li>● Fast charging on every port</li> <li>● MacBook &amp; iPad &amp; iPhone</li> <li>● Intelligent Host Chip</li> </ul>
Input:	DC 12-24V	
Total Output:	60W(Max)	
USB-C1:	5V/3A,9V-3A,20V/1.5A	
USB-A:	4.5V/5A,9V-1.5A,V/3A	
PPS:	3.3-11V/3A	<b>Certification</b> 
Color:	Black	
Size:	79.7*35.2*22.6mm	





# 51W 05

## 1C+1A Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC05	<ul style="list-style-type: none"> <li>● Mini Size</li> <li>● Dual USB-A</li> <li>● Safe Charging</li> <li>● Current overvoltage protection</li> </ul>
Input:	DC 12-24V	
Total Output:	51W(Max)	
USB-C:	5V/3A,9V/3A,12V/2.25A	
USB-C:	5V/3A,9V/2A,12V/1.5A	
PPS:	3.3V-11V/3A	
Color:	Black	<p style="text-align: center;">Certification</p> <div style="display: flex; justify-content: center; gap: 10px;"> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">CE</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">RoHS</span> </div>
Size:	35*25*61mm	



# 120W 06

## 4 IN 1 Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC06	<ul style="list-style-type: none"> <li>● Built-in safety fuse</li> <li>● Voltage display</li> <li>● Retractable cables</li> <li>● Short circuit protectio</li> <li>● Charge 4 device at the same time</li> </ul>
Input:	DC 12-24V	
Total Output:	120W(Max)	
USB-A:	5V/2.4A	
USB-C	5V/3A,9V/3A,12V/2.25A	
Type-C Cable:	PD 100W Super fast charge	
Lightning Cable:	6V/2.4A 14W	<p style="text-align: center;">Certification</p> <div style="display: flex; justify-content: center; gap: 10px;"> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">CE</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">FC</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">RoHS</span> </div>
Tension Line:	80CM	
Size:	139*65*35.5mm	



**Notice:**  
USB-C and Lightning Port Cant Use Simultaneously.

# 80W 07

## USB-L+1C+1A Port Charger

Fast Charging+Built-in C to L Data Cable


Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-CC07	<ul style="list-style-type: none"> <li>● Built-in safety fuse</li> <li>● Voltage display</li> <li>● Retractable cables</li> <li>● Short circuit protectio</li> <li>● Charge 4 device at the same time</li> </ul>
<b>Input:</b>	DC 12-24V	
<b>Total Output:</b>	80W(Max)	
<b>USB-A:</b>	5-12V-3A,20V-2.25A (Max 45W)	
<b>USB-C</b>	5V/3A,9V/3A,12V/2.25A (Max 30W)	
<b>Lightning:</b>	5V/3A,9V/3A,12V/2.25A (Max 30W)	
<b>PPS:</b>	PD30W+QC45W	
<b>Tension Line:</b>	100CM	
<b>Size:</b>	72*35*35mm	

### Certification





# Travel Charger Series





# 45W

## 2C+2A Travel Charger

100-250V 2000W(Max)

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-SC011	<ul style="list-style-type: none"> <li>● 2000W High Power</li> <li>● Simultaneous use of 6 devices</li> <li>● Meet different national standards</li> </ul>
<b>Input:</b>	100-250V~ 50-60Hz 1.25A	<ul style="list-style-type: none"> <li>● Compact and portable</li> <li>● Dual Fuse Eight protection</li> </ul>
<b>Total Output:</b>	250V/8A 2000W(Max) 100V/8A 800W(Max)	<p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: center; gap: 10px;"> <span>CE</span> </div>
<b>USB-C:</b>	5V/3A,9V/2A,20V/2.25A 45W(Max)	
<b>USB-A:</b>	9V/2A,5V/3A,12V/1.5A 18W(Max)	
<b>USB Output:</b>	5V/3A(Total)	
<b>Color:</b>	Black	
<b>Plug:</b>	UK/EU/AUS/US	



# 20W

## 2C+2A Travel Charger

100-250V 2000W(Max)

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-SC012	<ul style="list-style-type: none"> <li>● 2000W High Power</li> <li>● Simultaneous use of 6 devices</li> <li>● Meet different national standards</li> </ul>
<b>Input:</b>	100-250V~ 50-60Hz 1.25A	<ul style="list-style-type: none"> <li>● Compact and portable</li> <li>● Dual Fuse Eight protection</li> </ul>
<b>Total Output:</b>	250V/8A 2000W(Max) 110V/8A 800W(Max)	<p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: center; gap: 10px;"> <span>CE</span> <span>UK CA</span> </div>
<b>USB-C:</b>	5V/3A,9V/2.22A,12V/1.67A	
<b>USB-A:</b>	9V/2A,5V/3A,12V/1.5A	
<b>USB Output:</b>	5V/3A(Total)	
<b>Color:</b>	Black	
<b>Plug:</b>	UK/EU/AUS/US	



# 20W

## 1C+2A Port Charger

100-250V/13A 3250W(Max)

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-SC013	<ul style="list-style-type: none"> <li>● 3200W High Power</li> <li>● Simultaneous use of 6 devices</li> <li>● Multiple Outputs Expansion</li> </ul>
<b>Input:</b>	100-250V~ 50-60Hz 1.25A	<ul style="list-style-type: none"> <li>● Compact and portable</li> <li>● Dual Fuse Eight protection</li> </ul>
<b>Total Output:</b>	250V/13A 3250W(Max)	<p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: center; gap: 10px;"> <span>CE</span> <span>UK CA</span> </div>
<b>USB-C:</b>	5V/3A,9V/2.22A,12V/1.67A	
<b>USB-A:</b>	9V/2A,5V/3A,12V/1.5A	
<b>USB Output:</b>	5V/3A(Total)	
<b>Color:</b>	Black	
<b>Plug:</b>	UK	



# 20W

## USB-A\*4 Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HCO1-UK	<ul style="list-style-type: none"> <li>● Navitas chip</li> <li>● Lightweight design</li> <li>● Fast charging</li> </ul>
<b>Input:</b>	AC 100-240V-50-60Hz 4.5A	<ul style="list-style-type: none"> <li>● GAN Technology</li> <li>● Low temperature fast charging</li> </ul>
<b>Total Output:</b>	DC 5V/5A	<p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: center; gap: 10px;"> <span>CE</span> </div>
<b>Ports:</b>	4*USB Ports	
<b>Material:</b>	PC Flame Retardant	
<b>Color:</b>	White	
<b>Plug:</b>	UK	








# 45W

## 2C+2A Travel Charger

100-250V 2000W(Max)

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-SC014	<ul style="list-style-type: none"> <li>● 1840W High Power</li> <li>● Simultaneous use of 5 devices</li> <li>● Meet different national standards</li> <li>● Compact and portable</li> <li>● Dual Fuse Eight protection</li> </ul>
<b>Input:</b>	100-230V~ 50-60Hz 1.25A	
<b>Total Output:</b>	230V/8A 1840W(Max) 110V/8A 880W(Max)	
<b>USB-C:</b>	15V/3A, 9V/3A, 20V/2.25A	
<b>USB-A:</b>	9V/2A, 5V/3A, 12V/1.5A	
<b>USB Output:</b>	45W(Max)	
<b>Color:</b>	Black	<b>Certification</b>   
<b>Plug:</b>	UK/EU/AUS/US	



# 3250W PD20W

## Multi-Function Plug

100-250V 3250W(Max)


Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC010	<ul style="list-style-type: none"><li>● 3250W High Power</li><li>● Simultaneous use of 8 devices</li><li>● 3M Cable</li><li>● Overload Protection</li><li>● Protects Against Power Surges</li></ul>
Input:	100-250V~ 50-60Hz 1.25A	
Total Output:	250V/8A 3250W(Max)	
USB-C:	15V/3A,9V/2.22A,12V/1.5A	
USB-A1/A2:	5V/2.4A	
USB-A3:	5V/3A,9V2A,12V/1.5A	
Color:	White	
Plug:	UK	

Certification





## Power Bank Series



## Tesla Battery Core





# 10000mAh

## 1C+1A Power Bank

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	<ul style="list-style-type: none"><li>● Mini Size</li><li>● Dual USB-A</li><li>● Safe Charging</li><li>● Tesla Battery Core</li><li>● Current overvoltage protection</li></ul>
Input:	5V/3A,9V/2A,12V/1.5A	
Capacity:	10000mAh	
USB-C:	PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	
Weight:	175G	
Color:	Black	
Size:	79*56.5*25.8mm	

Certification



# 20000mAh

## 1C+1A Power Bank

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	<ul style="list-style-type: none"><li>● Mini Size</li><li>● Dual USB-A</li><li>● Safe Charging</li><li>● Tesla Battery Core</li><li>● Current overvoltage protection</li></ul>
Input:	5V/3A,9V/2A,12V/1.5A	
Capacity:	10000mAh	
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	
Weight:	335G	
Color:	Black	
Size:	149*56.5*25.8mm	

Certification




# PP-IPXR 3690mAh

High Capacity Li-ion Battery

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	<ul style="list-style-type: none"><li>• High Capacity Battery</li><li>• Integrated Circuit Protection</li></ul> <p>Certification</p> 
Rated Voltage	3.8V~12.4Wh	
Charge Limited Voltage:	4.35v	
Rated Capacity:	3690mAh	
Material:	Li-ion Battery	




# PP-IPX 3250mAh

High Capacity Li-ion Battery

Colour




Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	<ul style="list-style-type: none"><li>• High Capacity Battery</li><li>• Integrated Circuit Protection</li></ul> <p>Certification</p> 
Rated Voltage	3.8V~14.0Wh	
Charge Limited Voltage:	4.35v	
Rated Capacity:	3250mAh	
Material:	Li-ion Battery	



## PP-IP11 3680mAh

High Capacity Li-ion Battery

Colour


Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP11	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.9V~14.3Wh	
<b>Charge Limited Voltage:</b>	4.45v	
<b>Rated Capacity:</b>	3680mAh	
<b>Material:</b>	Li-ion Battery	<b>Certification</b> 



## PP-IP11PRO 3620mAh

High Capacity Li-ion Battery

Colour


Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP11PRO	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.8V~13.7Wh	
<b>Charge Limited Voltage:</b>	4.4v	
<b>Rated Capacity:</b>	3620mAh	
<b>Material:</b>	Li-ion Battery	<b>Certification</b> 



## PP-IP11PM 4780mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP11PM	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.8V~18.1Wh	
<b>Charge Limited Voltage:</b>	4.35v	
<b>Rated Capacity:</b>	4780mAh	
<b>Material:</b>	Li-ion Battery	<b>Certification</b> 

### Disposing of the battery

Dispose of batteries according to local regulations  
 Please recycle when possible. Do not dispose as household waste  
 Or reference the Rechargeable Battery Recycling Programme from






# PP-IP13 3530mAh

High Capacity Li-ion Battery

Colour


Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP13	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.87V~13.1Wh	
<b>Charge Limited Voltage:</b>	4.47v	
<b>Rated Capacity:</b>	3530mAh	
<b>Material:</b>	LI-ion Battery	
		<b>Certification</b> 



# PP-IP13PRO 3400mAh

High Capacity Li-ion Battery

Colour


Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP13PRO	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.87V~12.7Wh	
<b>Charge Limited Voltage:</b>	4.47v	
<b>Rated Capacity:</b>	3400mAh	
<b>Material:</b>	LI-ion Battery	
		<b>Certification</b> 



# PP-IP13PM 4780mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP13PM	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.85V~18.4Wh	
<b>Charge Limited Voltage:</b>	4.47v	
<b>Rated Capacity:</b>	4780mAh	
<b>Material:</b>	LI-ion Battery	
		<b>Certification</b> 

## Disposing of the battery

Dispose of batteries according to local regulations  
 Please recycle when possible. Do not dispose as household waste  
 Or reference the Rechargeable Battery Recycling Programme from








# PP-IP14 3670mAh

High Capacity Li-ion Battery

Colour


Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP14	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.87V~14.2Wh	
<b>Charge Limited Voltage:</b>	4.47v	
<b>Rated Capacity:</b>	3670mAh	
<b>Material:</b>	Li-ion Battery	
		<b>Certification</b> 



# PP-IP14PRO 3400mAh

High Capacity Li-ion Battery

Colour


Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP14PRO	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.87V~13.4Wh	
<b>Charge Limited Voltage:</b>	4.47v	
<b>Rated Capacity:</b>	3480mAh	
<b>Material:</b>	Li-ion Battery	
		<b>Certification</b> 



# PP-IP14PM 4780mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-IP14PM	<ul style="list-style-type: none"> <li>• High Capacity Battery</li> <li>• Integrated Circuit Protection</li> </ul>
<b>Rated Voltage</b>	3.87V~16.4Wh	
<b>Charge Limited Voltage:</b>	4.47v	
<b>Rated Capacity:</b>	4850mAh	
<b>Material:</b>	Li-ion Battery	
		<b>Certification</b> 




## Disposing of the battery

Dispose of batteries according to local regulations

Please recycle when possible. Do not dispose as household waste  
Or reference the Rechargeable Battery Recycling Programme from





# Car Bracket Series



360° 01

## Rotatable Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD01	<ul style="list-style-type: none"> <li>Wider Clamping Arm Design</li> <li>Pull-down design</li> </ul>
Material:	PC+ABS+Silicone	<ul style="list-style-type: none"> <li>Fits most mobile phone sizes</li> <li>Exclusive Patent</li> </ul>
Weight:	158G	
Color:	Black	
Description:	Compatible with all smartphones up to 6.7 inches Telescoping arm adjusts from 4.13 inches to 5.75 inches, adjustable 240 degrees for optimal viewing angle	



360° 02

## Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD02	<ul style="list-style-type: none"> <li>Free angle adjustment</li> <li>Magnetic stand</li> </ul>
Material:	PC+ABS+Silicone	<ul style="list-style-type: none"> <li>Foldable for storage</li> <li>Suitable for mobile phones/tablets</li> </ul>
Weight:	104G	
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



15W 03

## Magnetic Charging Bracket

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD03	<ul style="list-style-type: none"> <li>Built-in 6 N45 magnets</li> <li>360 degree adjustable rotation</li> <li>3M adhesive magnetic pad</li> <li>Exclusive Patent</li> </ul>
Material:	ABS+Silicone	
Weight:	74G	
Output:	15W/10W/7.5W/5W	
Color:	Black	
Description:	The chuck can be used in the outlet or air outlet, say goodbye to cumbersome, to achieve extremely fast installation; it also has a charging function	



Soft 04

## Gripper Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD04	<ul style="list-style-type: none"> <li>Soft silicone material</li> <li>H-shape design increases bonding area</li> <li>Good heat resistance and heat dissipation</li> <li>Suitable for most mobile phone models</li> </ul>
Material:	Metal Parts+Silicone	
Weight:	163G	
Color:	Black	
Description:	The large clamp arm bracket is stable and anti slip, and can be installed on the center console of a car	





360° 05

## Magnets Car Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HD05	<ul style="list-style-type: none"> <li>● Built-in 6 N45 magnets</li> <li>● 360 degree adjustable rotation</li> <li>● 3M adhesive magnetic pad</li> <li>● Exclusive Patent</li> </ul>
<b>Material:</b>	PC+ABS+Silicone	
<b>Weight:</b>	71.5G	
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 06

## Magnets Car Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HD06	<ul style="list-style-type: none"> <li>● Strong Magnet</li> <li>● Solid Adsorption</li> <li>● Occupy No Space</li> <li>● Easy To Carry</li> </ul>
<b>Material:</b>	PC+ABS+Silicone	
<b>Weight:</b>	25.9G	
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 07

## Magnets Car Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HD07	<ul style="list-style-type: none"> <li>● Strong Magnet</li> <li>● solid Adsorption</li> <li>● Occupy No Space</li> <li>● 360° Degree Rotation</li> </ul>
<b>Material:</b>	PC+ABS+Silicone	
<b>Weight:</b>	104G	
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 08

## Magnets Car Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HD08	<ul style="list-style-type: none"> <li>● Free angle adjustment</li> <li>● Magnetic stand</li> <li>● Foldable for storage</li> <li>● Suitable for mobile phones/tablets</li> </ul>
<b>Material:</b>	PC+ABS+Silicone	
<b>Weight:</b>	104G	
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



# 360° 09

## Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HD09	<ul style="list-style-type: none"><li>● Strong Magnet</li><li>● Solid Adsorption</li><li>● Occupy No Space</li><li>● Easy To Carry</li></ul>
<b>Material:</b>	PC+ABS+Silicome	
<b>Size:</b>	65.5*21*17.5mm	
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you.360° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



# Phone Bracket Series





## 360° 01

### Aluminium Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-PH01	<ul style="list-style-type: none"> <li>● Strong suction power</li> <li>● Multi-angle easy rotation</li> </ul>
<b>Material:</b>	Aluminium	<ul style="list-style-type: none"> <li>● Suitable for mobile phone/iPad</li> </ul>
<b>Weight:</b>	75G	<ul style="list-style-type: none"> <li>● Stylish, mini and lightweight</li> <li>● Can be turned into a car mount</li> </ul>
<b>Color:</b>	Silver grey	
<b>Description:</b>	Foldable design, easy to carry around. 360° Adjustable to the best angle High compatibility, Suitable for 4-13 inch Simple yet stylish design for mobile phones and tablets	




## 360° 02

### Titanium Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-PH02	<ul style="list-style-type: none"> <li>● Strong suction power</li> <li>● Multi-angle easy rotation</li> </ul>
<b>Material:</b>	Titanium	<ul style="list-style-type: none"> <li>● Suitable for mobile phone/iPad</li> </ul>
<b>Weight:</b>	20G	<ul style="list-style-type: none"> <li>● Stylish, mini and lightweight</li> <li>● Can be turned into a car mount</li> </ul>
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry around. 360° Adjustable to the best angle High compatibility, Suitable for 4-13 inch Simple yet stylish design for mobile phones and tablets	



## Mini 03

### Mobile Phone Holder

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-PH03	<ul style="list-style-type: none"> <li>● Lightweight and easy to carry</li> <li>● Non-slip wear-resistant material</li> </ul>
<b>Material:</b>	PC+ABS+Silicone	<ul style="list-style-type: none"> <li>● For mobile phone and iPad to catch up with TV series</li> </ul>
<b>Weight:</b>	45G	
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you. 120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



## 360° 04

### Magnets Car Bracket

Supports Multi-stage Adjustment

Colour ●

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-PH04	<ul style="list-style-type: none"> <li>● Strong suction power</li> <li>● Multi-angle easy rotation</li> </ul>
<b>Material:</b>	Aluminium	<ul style="list-style-type: none"> <li>● Suitable for mobile phone/iPad</li> </ul>
<b>Weight:</b>	104G	<ul style="list-style-type: none"> <li>● Stylish, mini and lightweight</li> <li>● Can be turned into a car mount</li> </ul>
<b>Color:</b>	Black	
<b>Description:</b>	Foldable design, easy to carry with you. 120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



# Soft 05

## Magnetic Phone Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-PH05	<ul style="list-style-type: none"> <li>● Strong suction power</li> <li>● Soft, no cuts</li> <li>● Multi-angle easy swivel</li> <li>● Suitable for mobile phones/iPads</li> <li>● Stylish, mini and lightweight</li> </ul>
<b>Material:</b>	Silicone	
<b>Weight:</b>	16.2G	
<b>Color:</b>	Black/Silver/Dark Blue/Purple	
<b>Description:</b>	<p>Five-Layer structure            Finger control farewell hand slip, Applicable to iP12.13.            14.15 series mobile phones            Suitable for mobile phone case with magnetic function</p>	
		<p><b>Certification</b></p> <p>REACH RoHS</p>





# Soft 06


## Retractable Phone Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-PH06	<ul style="list-style-type: none"><li>● Adjustable Flexible Finger Grip</li><li>● Self Standing ( Horizontal/Vertical)</li><li>● Easy &amp; Safe for one hand operation</li><li>● One finger is enough to carry the phone</li><li>● Selfie? No Problem</li></ul>
<b>Material:</b>	TPU+Stainless steel+ Genuine 3M glue	
<b>Size:</b>	81*25*4mm	
<b>Color:</b>	Black/Silver/Dark Blue/Purple	
<b>Description:</b>	Phone Grip Holder, Finger Cell Phone Grip, Silicone Phone Finger Strap, Telescopic Mobile Phone Holder for All Smartphones (4 Colors)	<b>Certification</b> 



# Headphones Series





# PP-HP05-GY

## Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HP05-GY	• Soundproof sponge
<b>Wireless Version:</b>	V5.3	• Support NTC temperature control
<b>Chip:</b>	JL7006F4	• High cost performance
<b>Horn Size:</b>	40mm	• It can be rotated and folded
<b>Horn Impedance:</b>	32Ω	• Active noise reduction
<b>Frequency Range:</b>	20Hz-20KHz	• High quality High sound quality
<b>Sensitivity:</b>	105dB +/- 3dB@1KHz	• Call noise reduction
<b>Battery Capacity:</b>	800mAh	• With 3.5mm audio jack
<b>Charging Time:</b>	2 hours	
<b>Playback Time:</b>	60 hours	
<b>Connection Play:</b>	46 hours	
<b>Distance:</b>	10m	
<b>Charging Cable:</b>	Type-C	

Certification






## PP-HP01-WE

### Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP01-WE	<ul style="list-style-type: none"> <li>• Unique Appearance</li> <li>• Easy to Carry</li> <li>• High Cost Performance</li> <li>• Type C Charging Port</li> <li>• Call Noise Reduction</li> <li>• Support NTC temperature control</li> </ul>
Wireless Version:	V5.3	
Chip:	JL7026	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	103dB +/-3dB	
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	
Playback Time:	55 hours	
Distance:	10m	<b>Certification</b> 
Charging Cable:	Type-C	




## PP-HP02-KI

### Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP02-KI	<ul style="list-style-type: none"> <li>• Unique Appearance</li> <li>• Easy to Carry</li> <li>• High Cost Performance</li> <li>• Type C Charging Port</li> <li>• Call Noise Reduction</li> <li>• Support NTC temperature control</li> </ul>
Wireless Version:	V5.3	
Chip:	JL7026	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	103dB +/-3dB	
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	
Playback Time:	55 hours	
Distance:	10m	<b>Certification</b> 
Charging Cable:	Type-C	




## PP-HP03-BK

### Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP03-BK	<ul style="list-style-type: none"> <li>• Soundproof sponge</li> <li>• Support NTC temperature control</li> <li>• High cost performance</li> <li>• It can be rotated and folded</li> <li>• Active noise reduction</li> <li>• High quality High sound quality</li> <li>• Call noise reduction</li> <li>• With 3.5mm audio jack</li> </ul>
Wireless Version:	V5.3	
Chip:	JL7006F4	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	105dB +/- 3dB@1KHz	
Battery Capacity:	800mAh	
Charging Time:	2 hours	
Playback Time:	60 hours	
Distance:	10m	<b>Certification</b> 
Charging Cable:	Type-C	




## PP-HP04-BK

### Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP04-BK	<ul style="list-style-type: none"> <li>• Unique Appearance</li> <li>• Easy to Carry</li> <li>• High Cost Performance</li> <li>• Type C Charging Port</li> <li>• Call Noise Reduction</li> <li>• Support NTC temperature control</li> </ul>
Wireless Version:	V5.3	
Chip:	JL7006F4	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	105dB +/- 3dB@1KHz	
Battery Capacity:	800mAh	
Charging Time:	2 hours	
Playback Time:	60 hours	
Distance:	10m	<b>Certification</b> 
Charging Cable:	Type-C	



# PP-BT08 BT5.4

## Ear-Hook Noise Headphones

ENC intelligent Noise Cancellation

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-BT08	<ul style="list-style-type: none"> <li>● 4 hours of continuous listening</li> <li>● 400mAh battery capacity</li> <li>● Dual microphone for clearer calls</li> <li>● ENC intelligent noise cancellation</li> <li>● Charging 5 minutes can be used for 150 minutes</li> </ul>
Wireless Version:	V5.4	
Wireless Frequency:	2.402GHz-2.480GHz	
Support Wireless:	A2ZDP, AVRCP, HSP, HFP	
Music Playback Time:	7.5 hours	
Talk Time:	4 hours	
Headset Battery:	3.7V,50mAh	
Speaker Unit:	616.2mm	
Charging Case:	3.7V,400mAh	
Charging Time:	2 hours	
Charging Voltage:	DC 5V-300mA	<p style="text-align: center;"><b>Certification</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"></div> <div style="text-align: center;"></div> <div style="text-align: center;"></div> </div>
Battery Cycle Life:	2300 times charge/discharge cycle	
Charging Interface:	Type-C	



# PP-BT01

5.1BT

## Sports Headset

In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-BT01	● Hi-Fi Sound
Material:	Silicone	● Built-in Microphone
Battery:	105mAh	● Up to 120 Hours Stand By
Waterproof:	IPX-4	● Durable & Lightweight
Charging	Type-C	● Flexible Wire
Playing Time:	6H	
Rated Power:	3mW	
Color:	Black	



## PP-BT04 5.1BT

### TWS Wireless Headset

Supports Wireless Charging & Lightning Port

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT04	<ul style="list-style-type: none"> <li>1:1 Original Model</li> <li>120H Standby Time</li> </ul>
BT version:	V5.1	<ul style="list-style-type: none"> <li>Wired &amp; Wireless Dual Charging</li> <li>Strong Signal &amp; Stable Connection</li> <li>Low Power Consumption &amp; Long Battery Life</li> </ul>
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 30mAh*2	
Charging Case:	320mAh	
Playing Time:	4-5H	

Certification

CE  RoHS



## PP-BT05 5.3BT

### In-ear Wireless Headset

Supports Wireless Charging & Lightning Port

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT05	<ul style="list-style-type: none"> <li>1:1 Original Model</li> <li>50H Standby Time</li> </ul>
BT version:	V5.3	<ul style="list-style-type: none"> <li>Wired &amp; Wireless Dual Charging</li> <li>Strong Signal &amp; Stable Connection</li> <li>Low Power Consumption &amp; Long Battery Life</li> </ul>
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 28mAh*2	
Charging Case:	250mAh	
Playing Time:	4-5H	

Certification

CE  RoHS



## PP-BT06 5.3BT

### 2 IN 1 Wireless Headset

Supports Wireless Charging & Type-C Port

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT06	<ul style="list-style-type: none"> <li>ENC Noise Reduction</li> <li>DUAL Microphone For Better Call</li> <li>Hi-Fi Stereo Sound With Bass</li> <li>90Hrs Standby</li> <li>Waterproof Technology: IPX-4</li> </ul>
BT version:	V5.3	
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 25mAh*2	
Charging Case:	400mAh	
Playing Time:	2.5H	

Certification

CE  RoHS



## PP-BT07 5.3BT

### Wireless Headset

5.3BT Version/300mAh Charging Box

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT07	<ul style="list-style-type: none"> <li>High Fidelity</li> <li>Stereo Sound</li> <li>Inductive touch</li> <li>Two Headphones Free switching</li> </ul>
BT version:	V5.3	
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 30mAh*2	
Charging Case:	300mAh	
Playing Time:	4-5H	

Certification

CE  RoHS

# PP-HF01-AUX

## 3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-AUX	<ul style="list-style-type: none"> <li>● Hi-Fi Stereo</li> <li>● High Definition Microphone</li> <li>● Free switching for music and calls</li> <li>● Compatible with a wide range of devices</li> </ul>
Frequency:	20Hz - 20kHz	<p><b>Certification</b></p>
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω ± 5Ω	
Length:	1.1m	
Pluy:	3.5mm	



# PP-HF01-C

## Type-C Wired Headset

Type-C & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-C	<ul style="list-style-type: none"> <li>● Hi-Fi Stereo</li> <li>● High Definition Microphone</li> <li>● Free switching for music and calls</li> <li>● Compatible with a wide range of devices</li> </ul>
Frequency:	20Hz - 20kHz	<p><b>Certification</b></p>
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω ± 5Ω	
Length:	1.1m	
Pluy:	Type-C	



# PP-HF02-AUX

## 3.5mm Wired Headset

3.5mm & In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-AUX	<ul style="list-style-type: none"> <li>● Hi-Fi Stereo</li> <li>● High Definition Microphone</li> <li>● Free switching for music and calls</li> <li>● Compatible with a wide range of devices</li> </ul>
Frequency:	20Hz - 20kHz	<p><b>Certification</b></p>
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16Ω ± 5Ω	
Length:	1.1m	
Pluy:	3.5mm	



# PP-HF02-C

## Type-C Wired Headset

Type-C & In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-C	<ul style="list-style-type: none"> <li>● Hi-Fi Stereo</li> <li>● High Definition Microphone</li> <li>● Free switching for music and calls</li> <li>● Compatible with a wide range of devices</li> </ul>
Frequency:	20Hz - 20kHz	<p><b>Certification</b></p>
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16Ω ± 5Ω	
Length:	1.1m	
Pluy:	Type-C	







# PP-HF01-C

## Lightning Wired Headset

Lightning & Semi-In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HF01-L	<ul style="list-style-type: none"><li>● Hi-Fi Stereo</li><li>● High Definition Microphone</li><li>● Free switching for music and calls</li><li>● Compatible with a wide range of devices</li></ul>
<b>Frequency:</b>	20Hz - 20kHz	
<b>Range:</b>	10m	
<b>Speaker:</b>	14mm	
<b>Rated Power:</b>	2mW	
<b>Impedance:</b>	32Ω ± 5Ω	
<b>Length:</b>	1.1m	
<b>Pluy:</b>	Lightning	

**Certification**

A set of six certification logos arranged in a 2x3 grid. The top row contains CE, FC, and RoHS. The bottom row contains REACH, UK CA, and CB. Each logo is white on a green circular background.



# PP-HF03-AUX

## 3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-AUX	<ul style="list-style-type: none"> <li>● Hi-Fi Stereo</li> <li>● High Definition Microphone</li> <li>● Free switching for music and calls</li> <li>● Compatible with a wide range of devices</li> </ul>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	<p><b>Certification</b></p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">CE</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">FC</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">RoHS</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">REACH</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">UK CA</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">CB</div> </div>
Impedance:	32Ω ± 5Ω	
Length:	1.1m	
Pluy:	3.5mm	




# PP-HF03-C

## Type-C Wired Headset


Type-C & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-C	<ul style="list-style-type: none"> <li>● Hi-Fi Stereo</li> <li>● High Definition Microphone</li> <li>● Free switching for music and calls</li> <li>● Compatible with a wide range of devices</li> </ul>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	<p><b>Certification</b></p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">CE</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">FC</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">RoHS</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">REACH</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">UK CA</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">CB</div> </div>
Impedance:	32Ω ± 5Ω	
Length:	1.1m	
Pluy:	Type-C	



# Mobile Phone Case Film Series





## 7 IN 1 Shell Film Set

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-S-iPhone(Series)	<ul style="list-style-type: none"> <li>Protect Mobile Phone</li> <li>ScreenScratch-Resistant</li> </ul>
<b>Material:</b>	TPU+PC+Tempered Glass	<ul style="list-style-type: none"> <li>Privacy Protection</li> <li>High Transparency</li> <li>Anti-Drop</li> <li>Anti-Yellowing TPU</li> </ul>
<b>Object:</b>	<ol style="list-style-type: none"> <li>1,Mobile Phone Case</li> <li>2, (HD/Privacy) Film</li> <li>3,Lens Film</li> <li>4,Stand*2</li> <li>5,Phone Back Film</li> <li>6,Magnetic Holder</li> <li>7,Alcohol Bag</li> </ol>	<p><b>Certification</b></p> <p>CE RoHS</p>



## 6 IN 1 iP16 Shell Film Sets

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-S6G-iP16 PP-S6G-iP16PLUS PP-S6G-iP16PRO PP-S6G-iP16PROMAX PP-S6G-iP15PROMAX	<ul style="list-style-type: none"> <li>Protect Mobile Phone</li> <li>ScreenScratch-Resistant</li> <li>Privacy Protection</li> <li>High Transparency</li> <li>Anti-Drop</li> <li>Anti-Yellowing TPU</li> </ul>
<b>Material:</b>	TPU+PC+Tempered Glass	<p><b>Certification</b></p> <p>CE RoHS</p>
<b>Object:</b>	<ol style="list-style-type: none"> <li>1,Mobile Phone Case</li> <li>2, (HD/Privacy) Glass Film</li> <li>3,Lens Film</li> <li>4,Phone Back Film</li> <li>5,Magnetic Holder</li> <li>6,Alcohol Bag</li> </ol>	<p><b>Certification</b></p> <p>CE RoHS</p>



## 5 IN 1 iP16 Shell Film Sets

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-S5G-iP16PROMAX PP-S5G-iP16PROMAX-P PP-S5G-iP14PROMAX PP-S5G-iP14PROMAX-P	<ul style="list-style-type: none"> <li>Protect Mobile Phone</li> <li>ScreenScratch-Resistant</li> <li>Privacy Protection</li> <li>High Transparency</li> <li>Anti-Drop</li> <li>Anti-Yellowing TPU</li> </ul>
<b>Material:</b>	TPU+PC+Tempered Glass	<p><b>Certification</b></p> <p>CE RoHS</p>
<b>Object:</b>	<ol style="list-style-type: none"> <li>1,Mobile Phone Case</li> <li>2, (HD/Privacy) Glass Film</li> <li>3,Lens Film</li> <li>4,Phone Back Film</li> <li>5,Magnetic Holder</li> <li>6,Alcohol Bag</li> </ol>	<p><b>Certification</b></p> <p>CE RoHS</p>



## 3 IN 1 iP15 Shell Film Set

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-S2-iPhone(Series)	<ul style="list-style-type: none"> <li>Protect Mobile Phone</li> <li>ScreenScratch-Resistant</li> </ul>
<b>Material:</b>	TPU+PC+Tempered Glass	<ul style="list-style-type: none"> <li>Privacy Protection</li> <li>High Transparency</li> <li>Anti-Drop</li> <li>Anti-Yellowing TPU</li> </ul>
<b>Object:</b>	<ol style="list-style-type: none"> <li>1,Mobile Phone Case</li> <li>2, (HD/Privacy) Film</li> <li>3,Lens Film</li> <li>4,Stand*2</li> <li>5,Phone Back Film</li> <li>6,Magnetic Holder</li> <li>7,Alcohol Bag</li> </ol>	<p><b>Certification</b></p> <p>CE RoHS</p>



# 6 IN 1 Magnetic

## iP16 Shell Film Sets

iPhone Protective Kit

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-S6-IP16PROMAX-M PP-S6-IP16PRO-M PP-S6-IP15PROMAX-M PP-S6-IP15PRO-M	<ul style="list-style-type: none"> <li>● Protect Mobile Phone</li> <li>● ScreenScratch-Resistant</li> <li>● Privacy Protection</li> <li>● High Transparency</li> <li>● Anti-Drop</li> <li>● Anti-Yellowing TPU</li> </ul>
<b>Material:</b>	TPU+PC+Tempered Glass	
<b>Object:</b>	1,Magnetic Phone Case 2, HD TPE Protective Film 3, Privacy Glass Tempered Film 4, Lens film 5, Mobile Phone Back Film 6, Alcohol Bag	
		<b>Certification</b> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div>



## HD Glass

### Mobile Phone Film


iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CF-iPhone(Series)	<ul style="list-style-type: none"><li>● HD High Transmittance 6H</li><li>● Color Anti-Snooping</li></ul>
Material:	PET	<ul style="list-style-type: none"><li>● Anti-Fingerprint, Anti-Oil</li></ul>
Hardness:	9H	<ul style="list-style-type: none"><li>● Flexible PET, can Be Wound, Never Broken Edge</li><li>● Eye Protection, Filter 95% UV and 80% Blue Light</li><li>● Scratch Resistant</li></ul>

**Certification**



## Privacy Glass

### Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-AF-iPhone(Series)	<ul style="list-style-type: none"><li>● Protect Mobile Phone</li><li>● Screen Scratch-Resistant</li></ul>
Material:	High Aluminum 0.33MM	<ul style="list-style-type: none"><li>● Privacy Protection</li></ul>
Hardness:	9H	<ul style="list-style-type: none"><li>● High Transparency</li><li>● Anti-Drop</li><li>● Anti-Yellowing TPU</li></ul>

**Certification**



# Privacy 6H

## Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-SF-iPhone(Series)	<ul style="list-style-type: none"> <li>High strength and hardness</li> <li>Resistant to falls</li> <li>Scratch resistant</li> <li>Impact resistant</li> <li>Full size coverage</li> <li>Water and oil resistant</li> </ul>
<b>Material:</b>	PET	
<b>Hardness:</b>	6H	
<b>Certification</b> 		



# HD 6H

## Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-GF-iPhone(Series)	<ul style="list-style-type: none"> <li>High strength and hardness</li> <li>Resistant to falls</li> <li>Scratch resistant</li> <li>Impact resistant</li> <li>Full size coverage</li> <li>Water and oil resistant</li> </ul>
<b>Material:</b>	PET	
<b>Hardness:</b>	6H	
<b>Certification</b> 		



# Privacy 6H

## Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-CF-iPhone(Series)	<ul style="list-style-type: none"> <li>HD High Transmittance 6H</li> <li>Color Anti-Snooping</li> <li>Anti-Fingerprint, Anti-Oil</li> <li>Flexible PET, can Be Wound, Never Broken Edge</li> <li>Eye Protection, Filter 95% UV and 99% Blue Light</li> <li>Scratch Resistant</li> </ul>
<b>Material:</b>	PET	
<b>Hardness:</b>	6H	
<b>Certification</b> 		



# Privacy 9H

## Shell Film Set

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-AF-iPhone(Series)	<ul style="list-style-type: none"> <li>Protect Mobile Phone</li> <li>ScreenScratch-Resistant</li> <li>Privacy Protection</li> <li>High Transparency</li> <li>Anti-Drop</li> <li>Anti-Yellowing TPU</li> </ul>
<b>Material:</b>	High Aluminum 0.33MM	
<b>Hardness:</b>	9H	
<b>Certification</b> 		




# Magnetic

## Transparent Phone Case


iPhone Protective

Colour




Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-MC-iPhone(Series)	<ul style="list-style-type: none"><li>● Protects your mobile phone</li><li>● Long lasting and durable</li><li>● Hard, strong and shockproof</li><li>● Transparent and high-definition</li></ul>
<b>Material:</b>	TPU-PC	
<b>Thickness:</b>	2.0MM	
<b>Color:</b>	Black/Silver/Dark Blue/ Purple	
<b>Application:</b>	iP11-iP15 Series	<b>Certification</b>  





# Camera Lens Series





# iP16 Series

## Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16(Series)	<ul style="list-style-type: none"><li>● Aluminium Alloy</li><li>● 9H Hard Glass</li><li>● Ultra-ThinProtector</li><li>● Perfect Fit</li></ul>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	

Certification







# iP16 Pro Max Series

## Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16 PRO MAX	<ul style="list-style-type: none"><li>● Aluminium Alloy</li><li>● 9H Hard Glass</li><li>● Ultra-ThinProtector</li><li>● Perfect Fit</li></ul>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	
		<b>Certification</b>  



## iP15 Series

### Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	
<b>Certification</b> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">CE</span> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">RoHS</span>		



## iP15 Series

### Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	
<b>Certification</b> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">CE</span> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">RoHS</span>		



## iP14 Series

### Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	
<b>Certification</b> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">CE</span> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">RoHS</span>		



## iP13 Series

### Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	
<b>Certification</b> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">CE</span> <span style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px 5px;">RoHS</span>		



# iP15 Series

## Camera Lens Protector

Transparent Full Coverage Styles

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	Transparent	

Certification

CE
RoHS



# iP15 Series

## Camera Lens Protector

Transparent

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	

Certification

CE
RoHS



# iP14 Series

## Camera Lens Protector

Transparent

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	

Certification

CE
RoHS



# iP13 Series

## Camera Lens Protector

Transparent

Colour

Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-LS-iP(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> </ul>
<b>Material:</b>	Aluminium Alloy+Glass	<ul style="list-style-type: none"> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
<b>Hardness:</b>	9H	

Certification

CE
RoHS



# S23 ULTRA

## Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour ●

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	
<b>Certification</b> <span>CE</span> <span>RoHS</span>		



# S23 ULTRA

## Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour ● ● ● ●

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	
<b>Certification</b> <span>CE</span> <span>RoHS</span>		



# S23PLUS

## Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour ● ● ● ●

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	
<b>Certification</b> <span>CE</span> <span>RoHS</span>		



# S23

## Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour ● ● ● ●

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	<ul style="list-style-type: none"> <li>Aluminium Alloy</li> <li>9H Hard Glass</li> <li>Ultra-ThinProtector</li> <li>Perfect Fit</li> </ul>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	
<b>Certification</b> <span>CE</span> <span>RoHS</span>		



Phone Planet

# Watch Charger Series





# PP-WC01 2.5W

## Apple Watch Charger

USB-A Port Fast Charging

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC01	<ul style="list-style-type: none"> <li>● Applies to Apple watch1.2.3.4.5.6.7</li> <li>● Magnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise Alignment</li> <li>● Lightweight And compact For Easy Portability</li> </ul>
Material:	ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	USB-A	
Cable OD:	2.9mm	
Length:	1.2m	<b>Certification</b> <span>CE</span> <span>FC</span>
Color:	White	



# PP-WC02 2.5W

## Apple Watch Charger

Lightning Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC02	<ul style="list-style-type: none"> <li>● Smartly Match All styles of Apple Watch</li> <li>● Magnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise Alignment</li> <li>● Lightweight And compact For Easy Portability</li> </ul>
Material:	Zinc Alloy +ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	Lightning	
weight:	19.7G	
Size:	40*28*5.8mm	<b>Certification</b> <span>CE</span> <span>RoHS</span>
Color:	White	



# PP-WC03 2.5W

## Apple Watch Charger

USB-A Port Fast Charging

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC03	<ul style="list-style-type: none"> <li>● Smartly Match All styles of Apple Watch</li> <li>● Magnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise Alignment</li> <li>● Lightweight And compact For Easy Portability</li> </ul>
Material:	Aluminum+TPE	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	USB-A/USB-C	
Cable OD:	2.9mm	
Length:	1.2m	<b>Certification</b> <span>CE</span> <span>FC</span> <span>RoHS</span>
Color:	White	



# PP-WC04 2.5W

## Apple Watch Charger

USB-C Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC04	<ul style="list-style-type: none"> <li>● Smartly Match All styles of Apple Watch</li> <li>● Magnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise Alignment</li> <li>● Lightweight And compact For Easy Portability</li> </ul>
Material:	Zinc Alloy +ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	USB-C	
weight:	22G	
Size:	40*28*5.8mm	<b>Certification</b> <span>CE</span> <span>FC</span> <span>RoHS</span>
Color:	Black	





Lightning Port

USB-C Port



# PP-WC05 2.5W


## Apple Watch Charger

Lightning & USB-C Port Fast Charging

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-WC05-BK/WE	<ul style="list-style-type: none"> <li>● Support Apple Watch SE-S9</li> <li>● Lightning/USB-C Dual Socket</li> <li>● Magnetic Attachment</li> <li>● Precise Alignment</li> <li>● Lightweight and compact</li> <li>● Easy to carry</li> </ul>
<b>Material:</b>	Zinc Alloy +ABS+PC	
<b>Input:</b>	5V/0.5A	
<b>Power:</b>	2.5W	
<b>Input Interface:</b>	Lightning/USB-C	
<b>Weight:</b>	25G	
<b>Size:</b>	46*29*8.2mm	
<b>Color:</b>	Black/White	
		<b>Certification</b>
		<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="background-color: #92d050; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; color: white; font-weight: bold;">REACH</div> <div style="background-color: #92d050; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; color: white; font-weight: bold;">RoHS</div> </div>



# Watch Accessories Series





# PP-WH01 NEW VERSION

## Curved Screen Smart Watch

Connect to mobile phone APP for more functions

Colour



Product Name	Electric Parameters	Product Features
CPU:	ZK8959	● Heart Rate
Memory:	128MB	● Sleep Monitoring
Size:	2.01 Inch Curved Screen	● Phone Call
Resolution:	320*385	● Torch
Case material:	Zinc Alloy Shell + Aluminum	● Multi Sport Mode
Bluetooth version:	V5.0	● Music Download
Charging method:	Wireless Charging	● Message Alert
Battery capacity:	300mAh	● Compass
Duration:	3 days	
Standby time:	15 days	
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*42mm	
With strap:	1PCS Orange Silicone Strap +1PCS Black Braided Strap	

### Certification

REACH

RoHS



# PP-WH02

## Children Smart Watch

Safe Protection Fro Children

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-WH02	<ul style="list-style-type: none"> <li>● Two-way high-definition call,</li> <li>● LBS precise positioning,</li> <li>● IPX67 waterproof,</li> <li>● SOS for help,</li> <li>● Real-time security monitoring,</li> <li>● 680mAh battery,</li> <li>● Long standby time,</li> <li>● Multi-language support:</li> </ul>
<b>Memory:</b>	128MB	
<b>Size:</b>	1.4 Inch	
<b>Resolution:</b>	240*240	
<b>Case material:</b>	Plastic Silicone	
<b>reticulation:</b>	Card insertion	
<b>Charging method:</b>	USB charging	
<b>Battery capacity:</b>	680mAh	
<b>Duration:</b>	3 days	
<b>Standby time:</b>	15 days	
<b>Charging time:</b>	2-3H	<p><b>Certification</b></p> <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; background-color: #90EE90;">REACH</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; background-color: #90EE90;">RoHS</div> </div>
<b>Waterproof level:</b>	IP67 Waterproof	
<b>Wrist strap size:</b>	226*20mm	
<b>With strap:</b>	USB charging cable*1 Watch *1 Instruction manual *1	



## Ultra 01

### Knitting Watch Strap

Apple iwatch 42/44/45/49 Series

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WB01	<ul style="list-style-type: none"> <li>Adjustable wearing style</li> <li>Breathable</li> <li>Waterproof and dirt-resistant</li> <li>Not easy to peel off</li> </ul>
Material:	Knitting Yarn	
Size:	42/44/45/49	
Color:	Green /Orange / Silver / Black / Blue /Gra	
		Certification 



## Ultra 9H

### Aluminum Alloy Frame

PET&Titanium Alloy Frame Protector Film

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra-49	<ul style="list-style-type: none"> <li>Use of nano-coating</li> <li>Resistant to drops</li> <li>Scratch resistant</li> <li>Impact resistant</li> <li>Anti-scratch</li> <li>Water and oil resistant</li> </ul>
Material:	PET&Titanium Alloy Frame	
Size:	49mm	
Accessories:	Positioner,Alcohol Pack	
		Certification 



## 3D 41mm

### Watch Protective Film

HD iWatch Protective & 6H

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-41	<ul style="list-style-type: none"> <li>High Definition Display</li> <li>Anti-scratch</li> <li>Cladding Protection</li> <li>Sensitive Touch</li> <li>Anti Edge Wear</li> <li>Water and oil resistant</li> </ul>
Material:	PET	
Size:	41mm	
Accessories:	Positioner,Alcohol Pack	
		Certification 



## 3D 45mm

### Watch Charger

HD iWatch Protective & 6H

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-45	<ul style="list-style-type: none"> <li>High Definition Display</li> <li>Anti-scratch</li> <li>Cladding Protection</li> <li>Sensitive Touch</li> <li>Anti Edge Wear</li> <li>Water and oil resistant</li> </ul>
Material:	PET	
Size:	45mm	
Accessories:	Positioner,Alcohol Pack	
		Certification 



# Touch Penpro Series





# PP-SP01

## Styluse Touch Penpro

For Android/IOS

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SP01	<ul style="list-style-type: none"><li>● Indicator</li><li>● Anti-False Contact</li><li>● Tilt Pressure</li><li>● Replaceable Nib</li><li>● Works With Most Capacitive Screen Devices</li></ul>
Input:	5V/0.36A	
Charging Port:	Type-C	
Working Time:	12 Hours	
Standby Time:	180 Days	
Weight:	13g	
Battery:	130mah 5V/0.2A 0.41Wh	
Size:	165mm* $\varnothing$ 9mm	

**Certification**



# PP-SP02

## Styluse Touch Penpro

Bluetooth

Suitable for iPad Models


Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SP02	<ul style="list-style-type: none"><li>● Bluetooth Function</li><li>● Indicator</li><li>● Anti-False Contact</li><li>● Tilt Pressure</li><li>● Replaceable Nib</li></ul>
Input:	5V/0.2A	
Charging Port:	Type-C	
Working Time:	8 Hours	
Standby Time:	360 Days	
Weight:	13g	
Battery:	130mah 5V/0.2A 0.41Wh	
Size:	165mm* $\varnothing$ 9mm	

**Certification**





# PP-DC01 **1080P**

## Intelligent Car Recorder

1080P HD Dash Cam

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-DC01	<ul style="list-style-type: none"><li>● Wifi Mobile Interconnection</li><li>● Parking Monitoring</li><li>● Time-lapse Recording</li><li>● Loop Recording</li><li>● Starlight Night Vision</li></ul>
<b>Pixel:</b>	1080P	
<b>Input:</b>	5V-0.5A	
<b>Plug:</b>	TYPE-C	
<b>Battery:</b>	Button Battery	
<b>Accessories:</b>	Genuine 3M Glue Type-C Power Cable	

APP DOWNLOAD







# PP-HD10



360°

## Magnetic Car Mount

Electric Suction Cup & 360° Rotatable

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-HD10	<ul style="list-style-type: none"><li>● 360° Rotation</li><li>● High-capacity Battery</li><li>● Strong Adsorption Force</li><li>● Electric Suction Cup</li></ul>
<b>Suction Force:</b>	5KG	
<b>Battery capacity:</b>	130mAh	
<b>Color:</b>	Black	
<b>Material:</b>	Aluminum alloy + ABS	
<b>Phone Size:</b>	4.7 inches ~ 7 inches	
		<b>Certification</b>
		 



# PP-VC01 4 IN 1

## Cordless Vacuum Cleaners

Versatile and Adaptable To All Occasions

Colour



Product Name	Electric Parameters	Product Features
<b>Model:</b>	PP-VC01	<ul style="list-style-type: none"> <li>● 15000 Pa Strong Suction</li> <li>● 6000mAh Box Capacity</li> <li>● Wireless &amp; Portable</li> <li>● Light Weight</li> <li>● Wide Range of Usage Scenarios</li> </ul>
<b>Voltage:</b>	11.1V	
<b>Power:</b>	100W	
<b>Suction Level:</b>	3	
<b>Suction:</b>	15000PA	
<b>Discharge Time:</b>	30MINS	
<b>Battery Capacity:</b>	6000mAh	
<b>Charge Wire:</b>	Type-C	
<b>Charge Time:</b>	3-4h	
<b>Product Size:</b>	21*20*6.5cm	

### Certification

